

SCN-Soybean Cyst Nematode • PFT-Phytophthora • SDS-Sudden Death Syndrome
 • FE-Frog Eye • SC-Stem Canker • RKN-Root Knot Nematode

VARIETY	RELATIVE MATURITY	PLANT TYPE	PREFERRED SOIL TYPES	COMMENTS	SCN	PFT	SDS	FE	SC	RKN
Go Soy 42L16	4.2	Medium Light Tawny	All Soil Types	Good Dryland Bean	1.5	1.5	1.9	1.8	3.1	1.9
Go Soy 43L16	4.3	Medium Light Tawny	Sand to Silt Loam	Great Early Bean	1.5	1.8	2	1.8	2.5	1.5
Go Soy 4714LL	4.7	Medium Tall Lt. Tawny	Sand to Silt Loam	Responds best in high yield environment	1.5	1.8	1.8	2.1	1.5	2.3
Go Soy 4912LL	4.9	Taller Branchy Type Gray	Silt Loam to Clay All Soil Behind Wheat	Good MultiGene Phytophthora with Moderate SCN Excellent Double Crop	2.5	1.7	1.9	-	-	4.5
Go Soy 4913LL	4.9	Tall, Grey	Silt Loam	Taller bean with Excellent Yield Potential	1.5	1.7	1.8	1.4	1.7	3.7
Go Soy 49L17	4.9	Tall	Silt Loam to Clay	Taller Bean	MR	-	-	1.5	1.8	4.5
Go Soy 5115LL	5.1	Medium/Medium Tall	All Soil Types	Responds well in high yield environment	1.5	1.7	3.3	1.9	1.8	3.3
Go Soy 5215LL	5.2	Medium	Silt Loam	Stable yields across all environments	2.1	1.8	2.4	1.8	1.5	1.5
Go Soy 5515LL	5.5	Tall Tawny	Silt Loam to Clay	Tall branchy plant LL55 event STS	5	5	3	2	1	3.0

- University data has shown that a solid residual program applied after planting, followed by a timely application of Liberty®, is the best program approach to weed control in LibertyLink soybeans.
- The LibertyLink soybean system works well in combination with a well-planned residual herbicide applied at burn down or at planting.
- Uniform, thorough spray coverage is necessary to achieve consistent weed control.

ALL DISEASE RATINGS ARE ON A SCALE OF 1-5 (with 1 being the best),
 LibertyLink® and the Water Droplet design are registered trademarks of Bayer. For additional information call 866-99-BAYER (866-992-2937) or visit www.BayerCropScienceUS.com

CONVENTIONAL VARIETIES

VARIETY	RELATIVE MATURITY	PLANT TYPE	PREFERRED SOIL TYPES	COMMENTS	SCN	PFT	SDS	FE	SC	RKN
Go Soy 39C15	3.9	Med Tawny	All Soil Type	Tawny Med Tall	3	2	1.5	-	-	-
Go Soy 43C17S	4.3	Medium	Silt Loam to Lt Clay	STS	-	-	MR	-	-	-
Go Soy 4510S	4.5	Med Tall	Silt Loam to Lt Clay	Tawny STS	MS	MR	MR	MR	-	-
Go Soy 4993	4.9	Med Tall	Sand to Silt Loam	Lt Tawny/Top Yielder	MS	MR	MR	MR	-	-
Go Soy Ireane	4.9	Excluder, Medium	Sand/Silt Loam	Excellent yielder, Strong bean, Determinate	5	-	2	1	1	5
Go Soy Leland	4.9	Tawny, Determinate Excluder	All Soils, Better on Light Clay	Impressive Conventional, Excellent Top End Yield	1	2	1	1	4	1
Go Soy 51C17	5.1	Medium	Sand to Silt Loam	Excluder	S	-	MR	R	R	MR
Go Soy 53C16	5.3	Medium	Sand to Lt Clay	Tawny Med Short	2	-	1.5	-	2.5	-
Go Soy 56C16	5.6	Med Tall	All Soil Type	Grey Medium	3	-	2	1.8	1.5	3

All disease ratings are a 1-5 scale with 1 being the most tolerant and 5 being susceptible.

Agsouth® Genuity® Roundup Ready 2 Yield® Soybean Product Line



- SCN-Soybean Cyst Nematode • SDS-Sudden Death Syndrome SC-Stem Canker
 • FELS-Frog Eye Leaf Spot • RKN-Root Knot Nematode • PRR-Phytophthora Root Rot

VARIETY	RELATIVE MATURITY	PLANT TYPE	PREFERRED SOIL TYPES	COMMENTS	SCN	PRR	RKN	SDS	FELS	RENIFORM NEMATODE	SC
GS48R216	4.8	Med Short Lt Tawny	Sand to Silt Loam	Excellent Yielder	-	1.5	4	2	2	-	3

Agsouth® Roundup Ready 2 Xtend® Soybean Product Line

VARIETY	RELATIVE MATURITY	PLANT TYPE	PREFERRED SOIL TYPES	COMMENTS	SCN	PFT	SDS	FE	SC	RKN
46X17	4.6	Medium	Sand to Silt Loam	Lt Tawny/Indeterminate/ Excluder	MR	-	MR	R	R	MS

High Value of New Branded Seed

Latest Technology

- Highest yielding soybean technology available
- Six soybean trait products anticipated to come from Monsanto in the next 2-7 years*
- Leading seed treatment options

Customer Service

- Dealer agronomic support before and after the sale
- Replant policy support
- Convenient packaging and delivery

Reliable Germination and Quality

- Rigorously tested for quality and meets US Federal Seed Act requirements
- Free of seed-borne diseases
- Properly stored and conditioned

Monsanto Company is a member of Excellence Through Stewardship® (ETS). Monsanto products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Monsanto's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Certain products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. **Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Growers should refer to <http://www.biotradestatus.com/> for any updated information on import country approvals.** Excellence Through Stewardship® is a registered trademark of Biotechnology Industry Organization.

ALWAYS READ AND FOLLOW DIRECTIONS FOR USE ON PESTICIDE LABELING. IT IS A VIOLATION OF FEDERAL AND STATE LAW to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with Roundup Ready 2 Xtend® soybeans. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. XTENDIMAX® HERBICIDE WITH VAPORGRIP® TECHNOLOGY AND IN CROP USES MAY NOT BE APPROVED IN ALL STATES. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans.

Roundup Ready 2 Xtend® soybeans contains genes that confer tolerance to glyphosate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Contact your Monsanto dealer or refer to Monsanto's Technology Use Guide for recommended weed control programs.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Roundup Ready® technology contains genes that confer tolerance to glyphosate, an active ingredient in Roundup® brand agricultural herbicides. Agricultural herbicides containing glyphosate will kill crops that are not tolerant to glyphosate. Roundup Ready 2 Xtend®, Genuity®, Roundup Ready 2 Yield®, Roundup Ready PLUS®, Roundup®, Roundup Ready®, SR and Design®, VaporGrip®, and XtendiMax® are trademarks of Monsanto Technology LLC.

Individual results may vary, and performance may vary from location to location and from year to year. This result may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Seed containing a patented trait can only be used to plant a single commercial crop from which seed cannot be saved and replanted. Examples of seed containing a patented trait include but are not limited to Genuity® Roundup Ready 2 Yield® soybeans, and Roundup Ready 2 Xtend® soybeans. Additional information and limitations on the use of these products are provided in the Monsanto Technology Stewardship Agreement, the Monsanto Technology Use Guide, and 2017 Technology Use Guide Addendum to include Roundup Ready 2 Xtend® Soybean. U.S. patents for Monsanto technologies can be found at the following webpage: <http://www.monsantotechnology.com>



P.O. Box 72246, Albany, Georgia 31708



Distributed Exclusively By:

Stratton Seed Company
 P.O. Box 1088 Stuttgart, AR 72160
 800-264-4433



All disease ratings are a 1-5 scale with 1 being the most tolerant and 5 being susceptible.

Schillinger Seed 2017/18 Mid-South / Southeast GT Soybean Product Line



SCN-Soybean Cyst Nematode • SDS-Sudden Death Syndrome • SC-Stem Canker
 FELS-Frog Eye Leaf Spot • RKN-Root Knot Nematode • PRR-Phytophthora Root Rot

VARIETY	RELATIVE MATURITY	PLANT TYPE	PREFERRED SOIL TYPES	COMMENTS	SCN R3	PRR	SDS	FELS	RENIFORM NEMATODE	SCN R14	SC
458.RCS	4.6	Medium Tall Light Tawny	Sand to Silt Loam	GT/STS® Stacked Variety. Very Solid STANDABILITY!	MR	1.7	2.5	R	MR	MS	R
478.RCS	4.7	Medium Tall Light Tawny	Sand to Silt Loam	GT/STS® Stacked Variety - 4. Years of Solid Performance.	R	2	2.1	MS	MS	MR	R
495.RC ELITE	4.9	Tall Light Tawny	Heavier Clay Soils/ Dryland All Soils Behind Wheat	Reliable Performance.	R	1.6	3.1	R	R	MR	R
4990.RC	4.9	Tall Light Tawny	All Soils/Better in Silt Loam	4990 will be Everything that 495 was and more. Put them Head to Head on Your Farm!	R	1.7	2.1	MR	R	MR	R
5220.RC	5.2	Medium Tall Light Tawny	Sand to Silt Loam	Excellent! Impressive indeterminate variety.	R	2	2.5	MR	-	-	R
557.RC	5.5	Medium Grey	Sand to Silt Loam	MR to Southern RKN, MR to SCN R2. Very Consistent from year to year!	R	1.9	1.9	MR	MR	S	R

Crop and Grain Marketing Stewardship

Dow AgroSciences is a member of Excellence Through Stewardship® (ETS). Dow AgroSciences' products are commercialized in accordance with ETS product launch stewardship guidance and Dow AgroSciences' Product Launch Stewardship Policy.

Direct grain produced from this seed product to appropriate markets as necessary. Any grain or material produced from this seed product can only be exported to, or used in, processed in or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotechnology traits across boundaries into nations where import is not permitted. Talk to your grain handler or purchaser to confirm their buying position for grain or material produced from this seed product. For further information about your crop or grain marketing options, contact Dow AgroSciences at 877-4-TRAITS (877-487-2487). Information regarding the regulatory and market status of agricultural biotechnology products can be found at: www.biotradestatus.com. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship. Rev. 7-15-16

©™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow
 Schillinger Seed, Inc. is an affiliate of Dow Chemical Company

SCN-Soybean Cyst Nematode • SDS-Sudden Death Syndrome SC-Stem Canker • FELS-Frog Eye Leaf Spot
 RKN-Root Knot Nematode • PRR-Phytophthora Root Rot

VARIETY	RELATIVE MATURITY	PLANT TYPE	PREFERRED SOIL TYPES	COMMENTS	SCN	PRR	RKN	SDS	FELS	RENIFORM NEMATODE	SC
GOSOY-41B17	4.1	Tall	All	Lt Tawny Indeterminate	MR	FT	-	MS	-	-	R
GOSOY4714GTS	4.7	Intermediate, Lt Tawny	Sand to Silt Loam	Versatile Indeterminate, Excellent Stress Tolerance	2.5	2	2	1.5	-	-	-
GOSOY-47B17	4.7	Medium	Sand to Silt Loam	Lt Tawny Indeterminate	MR	FT	-	MR	-	-	R
GOSOY4814GTS	4.8	Intermediate, Lt Tawny	Silt Loam to Clay	Tall Growth for Tough Soils	4	-	3	3	-	-	1
GOSOY4914GTS	4.9	Intermediate, Lt Tawny	Sand to Silt Loam	Excellent SCN	1	-	1	0	-	1	1
GOSOY-49G16	4.9	Med Tawny Excluder	Sand to Lt Clay	Indeterminate with excellent disease package	-	2.1	1.5	2.5	1.5	1.5	1.5
GOSOY5214GTS	4.9-5.1	Medium Tall	Silt Loam to Clay All Soils Behind Wheat	SCN, Indeterminate, Double Crop	1	2.4	2	1.5	1	1	-
GOSOY-50G17	5	Medium	Sand to Silt Loam	Tawny Indeterminate Excluder	-	FT	MR	MR	S	-	MS
GOSOY-54G16	5.4	Medium Bushy	Sand to Silt Loam	Excellent canopy for weed suppression	2.5	2.5	-	1.8	1.8	-	2.0

Go Soy... Go Get It!